

## ROOF SPECIFICATION COVERAGE RATES

	Product	Substrate	10-year	15-year	Primer Coverage	Slope
WITH FABRIC	605-1/640-1	BUR	2   2.5	2.5   2.5	1	5/12
	605-1/640-1	Concrete	2.5   2.5	3   2.5	0.5	5/12
	605-1/640-1	Existing Coating	2   2.5	2.5   2.5	0.5	5/12
	605-1/640-1	Mod Bit (Granular)	2   3	2.5   3	1	5/12
	605-1/640-1	Mod Bit (Smooth)	2   3	2.5   3	1	5/12
	605-1/640-1	Single Ply	2   2.5	2.5   2.5	0.5	5/12
	991/640-1	BUR	2   2.5	2.5   2.5	1	5/12
	991/640-1	Existing Coating	2   2.5	2.5   2.5	0.5	5/12
	991/640-1	Concrete	2.5   2.5	3   2.5	0.5	5/12
	991/640-1	Mod Bit (Granular)	2   3	2.5   3	1	5/12
	991/640-1	Mod Bit (Smooth)	2   3	2.5   3	1	5/12
	991/640-1	Single Ply	2   2.5	2.5   2.5	0.5	5/12
	990	BUR	2	2.5	1	5/12
	990	Concrete	1.5	2	0.5	5/12
	990	Mod Bit (Granular)	2	2.5	1	5/12
	990	Mod Bit (Smooth)	1.5	2	1	5/12
	991	BUR	2.5	3	1	5/12
	991	Concrete	2	2.5	0.5	5/12
	991	Mod Bit (Granular)	2.5	3	1	5/12
	991	Mod Bit (Smooth)	2	2.5	1	5/12
991	Existing Coating	2	2.5	0.5	5/12	
WITHOUT FABRIC	605-1	Existing Coating	2.5	3	0.5	5/12
	605-1	Metal	2.5	3	Minimal Rust: 0.5 Heavy Rust: 1	5/12
	605-1	Single Ply	2.5	4	0.5	5/12
	990	Mod Bit (Granular)	2	2.5	1	5/12
	990	Mod Bit (Smooth)	1.5	2	1	5/12
	990	Metal	1.5	2	Minimal Rust: 0.5 Heavy Rust: 1	5/12
	990	Single Ply	1.5	2	0.5	5/12
	991	Metal	2	2.5	Minimal Rust: 0.5 Heavy Rust: 1	5/12
	991	Mod Bit (Granular)	2.5	3	1	5/12
	991	Mod Bit (Smooth)	2	2.5	1	5/12
	991	Single Ply	2	2.5	0.5	5/12
	991	Existing Coating	2	2.5	0.5	5/12